

DRAFTSIGHT® System Requirements

Use this information to ensure you are always working with a DraftSight supported and optimized system.

| | DRAFTSIG | SHT 2020 | |
|-----------------------------------|---|----------------------------|--|
| Windows® Operating Systems | SUPPORTS | | |
| | (Available for Standard, | Professional, Premium, | |
| | Enterprise & Enterprise Plus versions) | | |
| Windows® 7 Service Pack 1, 32-bit | V | / | |
| Windows® 7 Service Pack 1, 64 bit | V | / | |
| Windows® 8.1, 64-bit | ١ | / | |
| Windows®10, 64bit | V | | |
| | 1 | | |
| <u>HARDWARE</u> | MINIMUM | RECOMMENDED | |
| RAM | 2 GB | 8 GB | |
| Disk Space | 500 MB free hard disk space | 1 GB free hard disk space | |
| | depending on accessory | depending on accessory | |
| | applications installed | applications installed | |
| Processor | Intel® Core™ 2 Duo, or | Intel® Core™ i5 processor, | |
| | AMD® Athlon™ X2 Dual- | AMD® Athlon/Phenon™ X4 | |
| | Core processor | processor, or better | |
| Display | Display with 1280 x 768 | Full HD monitor | |
| | pixels resolution | | |
| Video Card | 3D Graphics accelerator card | 3D Graphics accelerator | |
| | with OpenGL version 1.4 | card with OpenGL version | |
| | | 3.2, or better | |
| Mouse | Mouse | Wheel Mouse, or 3D mouse | |
| | An Internet connection for installation from download | | |
| Internet | and for activation (optional). | | |
| | Product activation requires a | network interface card. | |

©2020 Dassault Systèmes. All rights reserved. 3DEXPERIENCE®, the Compass icon and the 3DS logo, CATIA, SOLIDWORKS, ENOVIA, DELMIA, SIMULIA, GEOVIA, EXALEAD, 3D VIA, 3DSWYM, BIOVIA, NETVIBES, and 3DEXCITE are commercial trademarks or registered trademarks of Dassault Systèmes or its subsidiaries in the U.S. and/or other countries. All other trademarks are owned by their respective owners. Use of any Dassault Systèmes or its subsidiaries trademarks is subject to their express written approval.



| Mac OS | (Available | SUPPORTS (Available as Beta, Standard version only) | |
|---------------------------|---|---|--|
| Mac® v10.13 (High Sierra) | | √ | |
| Mac® v10.14 (Mojave) | | √ | |
| Mac® v10.15 (Catalina) | | √ | |
| | I | | |
| <u>HARDWARE</u> | MINIMUM | RECOMMENDED | |
| RAM | 2 GB | 8 GB or more | |
| Disk Space | 500 MB of available | 500 MB of available hard-disk space for installation | |
| Processor | Mac® with Intel® Co | Mac® with Intel® Core™ 2 Duo processor, or better | |
| Display | Display with 1280 x | Display with 1280 x 768 pixels resolution, or better | |
| Video Card | 3D Graphics accelera card with OpenGL version 1.4 | ator 3D Graphics accelerator card with OpenGL version 3.2, or better | |
| Mouse | Mouse | Mouse | |
| Internet | | An Internet connection for installation from download and for activation (optional) Product activation requires a network interface card. | |

Network License Manager Compatibility

For DraftSight 2020 Enterprise and Enterprise Plus

| SolidNetwork License Manager | SUPPORTS (SNL) |
|------------------------------|----------------|
| SNL 2019 | х |
| SNL 2020 | √ |

| Dassault Systemes License Server | SUPPORTS (DSLS) | |
|-------------------------------------|-----------------|--|
| DSLS R2017x | Х | |

©2020 Dassault Systèmes. All rights reserved. 3DEXPERIENCE®, the Compass icon and the 3DS logo, CATIA, SOLIDWORKS, ENOVIA, DELMIA, SIMULIA, GEOVIA, EXALEAD, 3D VIA, 3DSWYM, BIOVIA, NETVIBES, and 3DEXCITE are commercial trademarks or registered trademarks of Dassault Systèmes or its subsidiaries in the U.S. and/or other countries. All other trademarks are owned by their respective owners. Use of any Dassault Systèmes or its subsidiaries trademarks is subject to their express written approval.



| DSLS R2018x ** | √ |
|----------------|---|
| | |

** Supported O/S by DSLS R2018x for DraftSight 2020 Enterprise and Enterprise Plus:

- Windows® 7 SP1 64-bit x86 (not for failover)
- Windows® 8.1 64-bit x86 (not for failover)
- Windows® 10 64-bit x86 (not for failover)
- Windows® Server 2008 R2 SP1 64-bit x86
- Windows® Server 2012 R2 64-bit x86
- Windows® Server 2016 64-bit x86

A minimum of 2GB of RAM is required, 4GB of RAM is recommended for a standalone server, 8GB for failover.